

## Appendix A

```
#!/usr/bin/perl -w

$html_title = $0;
$html_title =~ s/.*/$1/;
$cgi_name = $html_title;
$html_title =~ s/_/ /g;

[$ = 1;
$debug = 0;
$answercookiename = "chaincookie";
$answercookiefilter = "[-0123456789.:]+";
$levelcookiename = "chainlevel";
@questions_2b_asked = ();

($num_questions,$num_conditions,$max_level) = read_dat_file();
if ($debug) { addbody("# questions=$num_questions, # conditions=$num_conditions, max
l=$max_level<br>\n"); }

($first_unanswered_question,$level) = get_state_from_cookie($num_questions);
if ($debug) { addbody("get_state_from_cookie:first=$first_unanswered_question,level=$level<br>\n");}

update_state_from_form();

$new_answercookie = join(":", @answers);
$new_levelcookie = $level+1;
if ( $debug ) {
    addbody("new_level=$new_levelcookie<br>");
    addbody("new answer cookie = $new_answercookie<br>");
    if ( $new_answercookie =~ /$answercookiefilter/ ) {
        addbody("new_answercookie passed filter<br>");
    }
}

if ($debug) { addbody("\n\n\n"); }

if ($level > $max_level) {
    while (($diag, $factor_list) = each %condition) {
        if ( $debug ) { addbody("$diag (has factors $factor_list)<br>\n"); }
        @factors = split(' ', $factor_list);
        if ( $debug ) { addbody("#factors items in \@factors<br>\n"); }
        $score = 0; $max = 0; $num_answers=0;
        foreach $factor (@factors) {
            ($question,$weight) = $factor =~ /q(\d+)=(\d+).*(\d*)/;
            $max = $max + $weight;
            if ( $answers{$question} > 0 ) {
                $score = $score + ( $weight * $answers{$question} );
                $num_answers++;
            }
            $answer = $answers{$question};
            if ( $debug ) { addbody(" pondering $question $weight. It was \"$answer\" so new score =
$score<br>\n"); }
            $question++;
        }
    }
}
```

```

if ( $num_answers==0 ) { $num_answers=1; }
$score = int( $score / $num_answers * 100 ) / 100;
if ( $debug ) { addbody( " final score = $score ($max max)\n"); }

$a{$diag} = $score;
$question++;
}
if ( $debug ) { print "\n"; }
@unsorted = ();
foreach $diag (keys(%a)) {
    $url = $diag;
    $url =~ s/[ \V]/_/g;
    $url =~ s/"/"/g;
    $url = "http://adsl-63-194-251-2.dsl.lsan03.pacbell.net/igotpain/$cgi_name/$url.html";
    @unsorted = ( "$a{$diag}"."\t".<a href=\"$url\" TARGET=\"reference\">$diag</a>\n", @unsorted );
}
if ( $debug ) { addbody("</PRE>\n"); }
addbody("<PRE>\n");
addbody( "% Possibility\tCondition\n");
addbody(reverse(sort sortdiags @unsorted));
addbody("</PRE>\n");
if ( $debug ) { addbody("</PRE>\n"); }
addbody("(Back to <A HREF=\"/igotpain/welcome.html\" TARGET=\"reference\">vitruvian man</A>)");
if ( $debug ) { addbody("<PRE>\n"); }
$new_answercookie = "";
$new_levelcookie = "";
}
else { # ask another set of questions
    if ($debug) { addbody("</PRE>\n"); }
    addbody("<FORM method=\"POST\" action=\"/cgi-bin/igp/$cgi_name\">\n");
    @questions_2b_asked = build_question_list($level, $max_level, $first_unanswered_question,
$num_questions);
    $new_answercookie = join(":", @answers);
    $new_levelcookie = $level+1;
    if ( $debug ) {
        addbody("new_level=$new_levelcookie, old_level=$level\n<br>");
        addbody("new answer cookie = $new_answercookie\n");
        if ( $new_answercookie =~ /($answercookiefilter)/ ) {
            addbody("new_answercookie passed filter\n");
        }
    }
    $current_header = "";
    foreach $qdata (@questions_2b_asked) {
        ($qnum,$level,$depend,$help_ref,$question,$qheader) = split("xyzzy",$qdata);
        if ( $current_header ne $qheader ) {
            $current_header = $qheader;
            addbody("<TABLE BGCOLOR=\"#A0A0A0\"><TR><TD ALIGN=\"LEFT\""
COLSPAN=2><H2>$current_header</H2></TD></TR>\n");
        }
        addbody("<TR>\n");
        addbody(get_question_html("q$qnum",$question,$help_ref,"no"));
        addbody("</TR>\n");
    }
    addbody("</TABLE>\n");
    addbody("<input type=\"submit\" value=\"Proceed\">\n");
    addbody("<input type=\"reset\">\n");
}

```

```

addbody("</FORM>\n");
if ($debug) { addbody("<PRE>\n"); }
}

sub sortdiags {
    ($aa) = split("\t",$a);
    ($bb) = split("\t",$b);
    #$aa = sprintf("%3.4d",$aa);
    #$bb = sprintf("%3.4d",$bb);
    ($aa<=>$bb)
}

#####
### do the printout
###
#####

&printheader($new_answercookie,$new_levelcookie);
printhtml();
exit 0;

#XXXXXXXXXX
sub build_question_list {
    local ($last_lev, $max_lev, $first_q, $last_q) = @_;
    local ($qlevel,$qdepend,$dep_qnum,$dep_answer);

    @qlist = ();

    if ($debug) { addbody("in build_question_list(last=$last_lev, max=$max_lev, first=$first_q,
last=$last_q)\n<br>"); }
    foreach $qnum ( $first_q..$last_q ) {
        if ( $answers[$qnum] != -1 ) {
            if ($debug) { addbody("q#$qnum skipped<br>\n"); }
            next;
        }
        ($iqnum,$qlevel,$qdepend) = split("xyzzy",$q[$qnum]);
        if ($debug) { addbody("qnum = $iqnum($qnum); qlevel = $qlevel; qdepend = $qdepend<br>\n"); }
        ($dep_qnum,$dep_answer) = $qdepend =~ /(\d+)([+-]*/);
        if ( $dep_answer =~ ^/+ ) { $dep_answer = "1"; }
        if ( $dep_answer =~ ^/- ) { $dep_answer = "0"; }
        if ($debug) { addbody("answers[$dep_qnum]=$answers[$dep_qnum], dep_qnum=$dep_qnum,
dep_answer=$dep_answer<BR>\n"); }
        if ( $qlevel == $last_lev ) {
            if ( $dep_qnum == 0 || $answers[$dep_qnum] == $dep_answer ) {
                push(@qlist,$q[$qnum]);
                if ($debug) { addbody("pushed $q[$qnum]\n"); }
            }
        }
    }
    if ( $debug ) {
        addbody( "build_question_list = \n");
        foreach $line (@qlist) { addbody( "$line\n"); }
    }
    @qlist;
}

```

```

sub update_state_from_form {
    $n = <>;
    $n = "" unless ($n);
    if ( $debug ) { addbody( "STDIN: $n\n<br>" ); }
    @question_answer = split(/&/, $n);
    foreach ( @question_answer ) {
        if ( $debug ) { addbody("$_ : "); }
        if ( /q(\d+)=(w+)/ ) {
            ($qnum,$val) = ($1,$2);
            if ( $debug ) { addbody("$qnum => $val\n"); }
            if ($val eq "yes") { $answers[$qnum] = 1; }
            if ($val eq "sometimes") { $answers[$qnum] = .75; }
            if ($val eq "maybe") { $answers[$qnum] = .45; }
            if ($val eq "unknown") { $answers[$qnum] = .2; }
            if ($val eq "no") { $answers[$qnum] = 0; }
        }
        if ( $n =~ /R=yes/ ) { $answers[$qnum] = -1; }
    }
}

sub read_dat_file {
    local ($number_of_questions,$number_of_conditions,$max_lev) = (0,0,0);
    local ($line,$condition_name,$factors) = ("","","","");
    local ($qnum,$qlevel,$depend,$help_ref,$question,$current_header) = (0,0,"","","","");
    open(DAT, "<$cgi_name.dat") || die("test.dat unreadable\n");
    @dat = <DAT>;
    close(DAT);

    foreach $line (@dat) {
        if ( $line =~ /^([^\"]+),(\d+,\d+,.*$)/ ) {
            if ( $debug ) { addbody("\n<br>condition line: $line"); }
            ($condition_name , $line) = ($1,$2);
            $number_of_conditions++;
            $line =~ s//g;
            @factors = split(/,/,$line);
            foreach $n (1..#$factors) { $factors[$n] = "q$n=$factors[$n]"; }
            $factors = join(", ",@factors);
            $condition{$condition_name} = $factors;
            if ( $debug ) { addbody("%condition $condition_name = $factors"); }
        }
        elsif ( $line =~ ^(\d+) (\d+) (\d+[-]*) (\w+) (.*)/ ) {
            if ( $debug ) { addbody("question line: $line"); }
            ($qnum,$qlevel,$depend,$help_ref,$question) = ($1,$2,$3,$4,$5);
            $q[$qnum] = join("xyzzy",($qnum,$qlevel,$depend,$help_ref,$question,$current_header));
            $number_of_questions++;
            if ( $qlevel > $max_lev ) { $max_lev = $qlevel; }
        }
        elsif ( $line =~ ^H (.*)/ ) { $current_header = $1; }
        else {
            if ( $debug ) { addbody("unprocessed line:\n$line\n"); }
        }
    }
    if ( $debug ) {

```

```

    addbody("number_of_questions = $number_of_questions, number_of_conditions =
$number_of_conditions, max_lev = $max_lev\n");
}
($number_of_questions,$number_of_conditions,$max_lev);
}

#### Cookies ####

sub get_state_from_cookie {
local ($qnum) = @_;
local ($first,$qlevel) = (1,1);

$env_cookie = $ENV{HTTP_COOKIE};
if ( $debug ) {
    addbody("env_cookie = $env_cookie \n");
    addbody("cookiefilter = $answercookiefilter \n");
}
if ( $env_cookie =~ /$answercookiename=($answercookiefilter)/ ) { $cookie = $1; }
if ( $env_cookie =~ /$levelcookiename=(\d+)/ ) { $qlevel = $1; }
if ( $debug ) { addbody("filtered cookie = $cookie\n"); }
if ( $cookie ) {
    @answers = split(/:/, $cookie);
    until ( ($answers[$first] == -1) || ($first > 80) ) { $first++; }
}
else {
    foreach $n (1..$qnum) { $answers[$n] = -1; }
    $first = 1;
    if ( $debug ) { addbody("initialized $qnum answers to -1\n"); }
}
($first,$qlevel);
}

#### HTML stuff ####

sub get_question_html {
local ($name,$question,$help,$default) = @_;
local ($html, $yeschecked, $nochecked) = ("","","");

if ( $default eq "yes" ) { $yeschecked = "SELECTED"; }
if ( $default eq "no" ) { $nochecked = "SELECTED"; }

$html = "
<TD ALIGN=\"CENTER\">
<SELECT NAME=\"$name\">
<OPTION $yeschecked VALUE=\"yes\">Yes<br>
<OPTION VALUE=\"sometimes\">Sometimes<br>
<OPTION VALUE=\"maybe\">Maybe<br>
<OPTION VALUE=\"unknown\">Don't remember<br>
<OPTION $nochecked VALUE=\"no\">No<br>
</SELECT></TD>
<TD>$question<a href=\"$/igotpain/$cgi_name/$help.html\" TARGET=\"reference\">(help)</a></TD>
\n";
return($html);
}

```

```
}

sub addbody {
    push(@body_lines, @_);
}

sub printtitle {
    local ($title) = @_;
    print "<TITLE>$title</TITLE>";
}

sub printbody {
    print "<BODY>";
    if ($debug) {print "<PRE>";}
    print @body_lines;
    if ($debug) {print "</PRE>";}
    print "</BODY>";
}

sub printhtml {
    print "<HTML>\n";
    &printtitle("$html_title");
    &printbody;
    print "</HTML>\n";
}

sub printheader {
    local ($cookie,$qlevel) = @_;
    print "Content-type: text/html\n";
    print "Set-Cookie: $answercookiename=$cookie\n";
    print "Set-Cookie: $levelcookiename=$qlevel\n";
    print "\n";
}
```